

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google scholar

cost xml selectivity predicate

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations



Create email alert Results 1 - 10 of about 1,470. (0.03 sec)

Path sharing and predicate evaluation for high-performance XML filtering

[psu.edu](#) [PDF]

Y Diao, M Altnel, MJ Franklin, H Zhang, P ... - ACM Transactions on ..., 2003 - portal.acm.org

... highly skewed, with a small number of very long candidate lists that do not provide much **selectivity**. ...

As experi- mental results in Altnel and Franklin [2000] show, this additional **cost** is far outweighed ...

a document arrives at the filtering en- gine, it is run through an **XML** Parser that ...

Cited by 273 - [Related articles](#) - [BL Direct](#) - [All 25 versions](#)

Efficient processing of XML twig queries with OR-predicates

[psu.edu](#) [PDF]

H Jiang, H Lu, W Wang - Proceedings of the 2004 ACM SIGMOD ..., 2004 - portal.acm.org

... indexes can significantly improve the performance for matching twig queries with **OR-predicates**,

especially when ... can evaluate query Q2 as two separate AND-twigs: /dblp/paper[title='XML']/author

/dblp ... we may scan same data multiple times, incurring more I/O and CPU **cost**. ...

Cited by 78 - [Related articles](#) - [All 17 versions](#)

[PDF] Cost-based optimization in DB2 XML

[psu.edu](#) [PDF]

A Balmin, T Eliaz, J Hornibrook, L Lim, GM Lohman, ... - IBM Systems ..., 2006 - Citeseer

... that might satisfy those **predicates**; that is, nodes satisfying the individual **predicates** must descend ...

Fanout is used in conjunction with the traditional notion of **selectivity** in determining the ... Statistics

collection" describes the set of statistics used to make **XML cost** and cardinality ...

Cited by 25 - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

Benefits of path summaries in an XML query optimizer supporting multiple access methods

A Barta, MP Consens, AO Mendelzon - Proceedings of the 31st ..., 2005 - portal.acm.org

... The advantage of using this strategy occurs in the case of selective **predicates** on one of the ...

However, in the **XML** query c summaries can be used not only existing schemas for a ... The latter

optimization str data statistics and (simple) **cost**-based h order to compute an efficient plan ...

Cited by 31 - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

Approximate XML query answers

[psu.edu](#) [PDF]

N Polyzotis, M Garofalakis, Y Ioannidis - Proceedings of the 2004 ..., 2004 - portal.acm.org

... Generating approximate answers is a **cost**-effective solution for offsetting the high evaluation

cost of **XML** queries. ... Note that the problem of effi- cient **XML** summarization also arises in the

context of **selectivity** estimation, where the synopsis is only used to estimate the size ...

Cited by 89 - [Related articles](#) - [All 25 versions](#)

Cost modeling and estimation for OLAP-XML federations[psu.edu](#) [PDF]

D Pedersen, K Riis, T Pedersen - Data Warehousing and Knowledge ..., 2002 - Springer
 ... The query evaluation time will depend on the aggregation level and **selectivity** of any selections in a query. ... The **cost** formula distinguishes between two types of **XML** query results: Those that have been inlined in some **predicate** and those that have not been inlined in ...
 Cited by 10 - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

FleXPath: flexible structure and full-text querying for XML[psu.edu](#) [PDF]

S Amer-Yahia, LVS Lakshmanan, S ... - Proceedings of the 2004 ..., 2004 - portal.acm.org
 ... Q1 by relax- ing the contains(\$3, "**XML**" and "streaming") to contains(\$2, "**XML**" and "streaming"). ...
 We could replace value-based pred- icates, eg, \$i.price ≤ 98 with \$i.price ≤ 100. We could also relax the contains **predicate** by making use of thesauri and replacing keywords with ...
 Cited by 163 - [Related articles](#) - [All 19 versions](#)

Query processing for high-volume XML message brokering[psu.edu](#) [PDF]

Y Diao, M Franklin - ... of the 29th international conference on Very ..., 2003 - portal.acm.org
 ... the extension of these paths does not add signifi- cantly to their processing **cost**. ... section> <section>
 <figure> <title> **XML** processing </title> </figure> </section> <figure> <title> **XML** process- ing ...
 title> </figure> </section>" In this case, the stream for the **predicate** path "//section ...
 Cited by 90 - [Related articles](#) - [BL Direct](#) - [All 25 versions](#)

StatiX: making XML count[iisc.ernet.in](#) [PDF]

J Freire, JR Haritsa, M Ramanath, P Roy, ... - Proceedings of the ..., 2002 - portal.acm.org
 ... Histograms are attractive because they are simple to implement, have been well- studied, and proven to be effective for **selectivity** estimation [18, 19]. ... Figure 5: Transformed Schema and Associated Statistics discuss in Section 4, in **cost**-based **XML** storage design, transfor ...
 Cited by 134 - [Related articles](#) - [All 12 versions](#)

Design and evaluation of alternative selection placement strategies in optimizing continuous queries

J Chen, DJ DeWitt, JF Naughton - icde, 2002 - computer.org
 ... R,S **XML** files ΔR , ΔS delta files for R, S |R|, |S| number of pages in R, S, assuming |R| = |S| 300
 ||R||, ||S ... Cc CPU **cost** of evaluating a **predicate** (ms) 0.36ms ... γ i the **selectivity** of a selection **predicate**
 γ u **selectivity** of the union of all selection **predicates** in a selection signature 0.8 ...
 Cited by 97 - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[Create email alert](#)

Goooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

cost xml selectivity predicate	Search
--------------------------------	--------

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

cost xml selectivity predicate tree path

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

[Create email alert](#)

Results 1 - 10 of about 1,040. (0.17 sec)

Path sharing and predicate evaluation for high-performance XML filtering[psu.edu](#) [PDF]

Y Diao, M Altinel, MJ Franklin, H Zhang, P ... - ACM Transactions on ..., 2003 - portal.acm.org

... highly skewed, with a small number of very long candidate lists that do not provide much **selectivity**. ...As experi- mental results in Altinel and Franklin [2000] show, this additional **cost** is far outweighed ...a document arrives at the filtering en- gine, it is run through an **XML** Parser that ...[Cited by 273](#) - [Related articles](#) - [BL Direct](#) - [All 25 versions](#)**Benefits of path summaries in an XML query optimizer supporting multiple access methods**

A Barta, MP Consens, AO Mendelzon - Proceedings of the 31st ..., 2005 - portal.acm.org

... The advantage of using this strategy occurs in the case of selective **predicates** on one ... follows:using **path** summaries, simple sta simple **cost**-based heuristics we can achieve s the ... DataGuides[14] (the **path** summ in Lore) are essentially the same struct considering **XML trees**). ...[Cited by 31](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)**Bloom histogram: Path selectivity estimation for xml data with updates**[psu.edu](#) [PDF]

W Wang, H Jiang, H Lu, JX Yu - ... on Very large data bases-Volume ..., 2004 - portal.acm.org

... A bad es- timate may mislead the query optimizer to choose a bad plan, whose **cost** could be

orders of magni- tude higher. ... We present the basic structure of a bloom histogram, and the

algorithms to estimate the **selectivity** of **XML path** expressions using bloom histograms. ...[Cited by 38](#) - [Related articles](#) - [BL Direct](#) - [All 20 versions](#)**Efficient processing of XML twig queries with OR-predicates**[psu.edu](#) [PDF]

H Jiang, H Lu, W Wang - Proceedings of the 2004 ACM SIGMOD ..., 2004 - portal.acm.org

... decomposition-based approach has a serious disadvantage: we may scan same data multiple

times, incurring more I/O and CPU **cost**. ... n3: /title n4: /year n5: //author 'XML' 2003 ... Definition 2.[OR-**predicate**] Given a query **tree** Q, an OR-**predicate** is a subtree in Q such that the root ...[Cited by 78](#) - [Related articles](#) - [All 17 versions](#)**Statistical learning techniques for costing XML queries**[psu.edu](#) [PDF]

N Zhang, PJ Haas, V Josifovski, GM ... - Proceedings of the ..., 2005 - portal.acm.org

... This behavior makes the **cost** modeling of XNav highly challenging. ... An **XML** element matchesa parse-**tree** node if (1) the element name matches the node label, (2) the element value satisfiesthe value constraints if the node is also a **predicate tree** node, and (3) the element ...[Cited by 37](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

StatiX: making XML count

J Freire, JR Haritsa, M Ramanath, P Roy, ... - Proceedings of the ..., 2002 - portal.acm.org
 ... Histograms are attractive because they are simple to implement, have been well- studied, and proven to be effective for **selectivity** estimation [18, 19]. ... Figure 5: Transformed Schema and Associated Statistics discuss in Section 4, in **cost**-based **XML** storage design, transfer ...
 Cited by 134 - [Related articles](#) - [All 12 versions](#)

Approximate XML query answers[psu.edu \[PDF\]](#)

N Polyzotis, M Garofalakis, Y Ioannidis - Proceedings of the 2004 ..., 2004 - portal.acm.org
 ... answers is a **cost**-effective solution for offsetting the high evaluation **cost** of **XML** ... proposed summarization techniques: they enable more accurate approximate answers and **selectivity** estimates, and at ... q0 being a distinguished root node always bound to the **XML** document root ...
 Cited by 89 - [Related articles](#) - [All 25 versions](#)

[PDF] Cost-based optimization in DB2 XML[psu.edu \[PDF\]](#)


A Balmin, T Eliaz, J Hornibrook, L Lim, GM Lohman, ... - IBM Systems ..., 2006 - Citeseer
 ... that might satisfy those **predicates**; that is, nodes satisfying the individual **predicates** must descend ...
 Fanout is used in conjunction with the traditional notion of **selectivity** in determining the ... Statistics collection" describes the set of statistics used to make **XML cost** and cardinality ...
 Cited by 25 - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

Tree pattern aggregation for scalable XML data dissemination[psu.edu \[PDF\]](#)

CY Chan, W Fan, P Felber, M Garofalakis, ... - Proceedings of the ..., 2002 - portal.acm.org
 ... and LDAP applications [3]. Compared to earlier work based on attribute/**predicate**-based subscrip ...
 efficient method that exploits coarse statistics on the underlying distribution of **XML** documents to ... ically, our scheme employs the document statistics to estimate the **selectivity** of a ...
 Cited by 81 - [Related articles](#) - [All 29 versions](#)

Query caching and view selection for XML databases[psu.edu \[PDF\]](#)

B Mandhani, D Suciu - ... of the 31st international conference on Very ..., 2005 - portal.acm.org
 ... The **selectivity** of our SQL query depends a lot on this choice. ... of locality, the test workload will have overlap with S. We now want to insert views so as to be able to answer the queries in S.
 The main **cost** in warm-up is that of executing queries on the **XML** database to bring ...
 Cited by 82 - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

 [Create email alert](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)cost xml selectivity predicate tree path ► [Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google